



Fabrizio Paoletti Autostrade Tech S.p.A  
Alessio Chiari Autostrade Tech S.p.A  
Paolo Orsini TAI s.r.l.



# OPERATIONAL DATA EXCHANGE

TMP operation management and coordination among centres

# Overview



## □ Operational Data Exchange and TMP Management

- Requirements for TMP Management coordination among centres
- TCC / TMC Operational Context
- Information Communication and Validation
- Exchange Operating Levels and Feedback


## □ High Impact Events Operating Environment

- Emergency Management Scenarios
- TMP in DG 2012 and definition

## □ TMP Management with DATEX

- Traffic Management Plan Execution
- TMP Management with DATEX
- TMP and Feedback Publication Extension
- DATEX pros and cons for TMP Management





# Operational Data Exchange and TMP Management



Use of DATEX II data exchange for Operational Purposes



# Road Operator



- Operation of most considerable and strategic roads and highways management
- Interconnection of networks with different level and competence



# Road Operation Objectives

- **Full Efficiency in Road Management**, within the frame of the following main objectives for travelers


**Safety**



**Level of Service**



**Comfort**



# Information in Emergency Situation

## High Impact Traffic Disruption


In order to prevent inconveniences and discomfort when risk of long delays in queues and traffic disruption is high, information is to be provided so drivers can choose alternatives to skip congestions.

Information provided is needed to be:

- **Timely**
- **Reliable**
- **Consistent**



# Actors and Information in Road Management




- Road Operator
- Traffic Control Center
- Data and information collecting
- Internal Communication
- Patrol Management
- Rescue Services
- Authorities
- SP Information Delivery Services
- Feedback


# Operational Data Exchange Requirements



- Timeliness
  - ▣ Push
- Full Reliability
  - ▣ Session Management
  - ▣ Link Monitoring
- Management Use Case
  - ▣ Processing Feedback
  - ▣ Workflow Management



# High Impact Events Operating Environment




# Emergency Operations



## Intervention Teams

Monitoring Patrol  
Maintenance Patrols



## External Operators

Maintenance Companies  
Rescue Organizations



## Authorities and Institutional Entities

Police  
Ambulance  
Governative and Local Authorities



## Emergency Signposting

Placed by intervention teams or authorities  
Prepared for temporary events planned as constructions




## Variable Sign Devices

Variable Message Panels  
Dynamic Lane Control  
Dynamic Speed Control  
Access ramps traffic lights




## Information

Navigators  
With RDS TMC or DAB  
Mobile  
Call Centers Services  
Browsers or smartphone applications  
Other in-car devices



# Road Management Cohordination



- Road / Motorway Operators
- Authorities
- Emergency Operators

Composite Situations  
Occurrences

# TMP Design ( DG TMP 2012 )



## 1. Context definition

- Network
- Operators
- Infrastructure


## Feasibility Study

## 2. Definition of High Impact Scenarios

## 3. Management Measures

- Operations
- Information
- Signs

## 4. TMP Elaboration



# TMP Definitions




## □ Scenario

- Based on TMP Design
- Recognized
- Decision Support Tools





## □ Measures

- Agreement Acknowledge





## □ Actions



- Implementation



# Operating TMPs



# TMP and DATEX II



```

<xsd:enumeration value="beingImplemented" />
<xsd:enumeration value="implemented" />
<xsd:enumeration value="rejected" />
<xsd:enumeration value="terminationRequested" />
<xsd:enumeration value="beingTerminated" />
</xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="OverallMeasureImplementation">
<xsd:sequence>
<xsd;element name="overallMeasureVersionTime" type="D2LogicalModel:Time" minOccurs="1" maxOccurs="1" />
<xsd;element name="overallMeasureCreationTime" type="D2LogicalModel:Time" minOccurs="1" maxOccurs="1" />
<xsd;element name="overallMeasureStatus" type="D2LogicalModel:ActivationStatusEnum" minOccurs="1" maxOccurs="1" />
<xsd;element name="overallMeasureDescription" type="D2LogicalModel:MultilingualString" minOccurs="1" maxOccurs="1" />
<xsd;element name="overallMeasureId" type="D2LogicalModel:String" minOccurs="1" maxOccurs="1" />
<xsd;element name="predefined" type="D2LogicalModel:Boolean" minOccurs="1" maxOccurs="1" />
<xsd;element name="measureImplementation" type="D2LogicalModel:MeasureImplementation" minOccurs="0" maxOccurs="unbounded" />
<xsd;element name="actionImplementation" type="D2LogicalModel:ActionImplementation" minOccurs="0" maxOccurs="unbounded" />
<xsd;element name="measureImplementer" type="D2LogicalModel:InternationalIdentifier" minOccurs="0" maxOccurs="unbounded" />
<xsd;element name="overallMeasureImplementationExtension" type="D2LogicalModel:_ExtensionType" minOccurs="0" />
</xsd:sequence>
<xsd:attribute name="id" type="xs:string" use="required" />
<xsd:attribute name="version" type="xs:string" use="required" />
</xsd:complexType>
<xsd:complexType name="OverallPeriod">
<xsd:sequence>
<xsd;element name="overallStartTime" type="D2LogicalModel:DateTime" minOccurs="1" maxOccurs="1" />
<xsd;element name="overallEndTime" type="D2LogicalModel:DateTime" minOccurs="0" maxOccurs="1" />
<xsd;element name="validPeriod" type="D2LogicalModel:Period" minOccurs="0" maxOccurs="unbounded" />
<xsd;element name="exceptionPeriod" type="D2LogicalModel:Period" minOccurs="0" maxOccurs="unbounded" />
<xsd;element name="overallPeriodExtension" type="D2LogicalModel:_ExtensionType" minOccurs="0" />
</xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="ParkAndRideStatusEnum">
<xsd:restriction base="xs:string">
  
```

# History of DATEX II TMP approach




- In the frame of ESG2, a supporting action was created to analyze the viability of the use of DATEX II in Traffic Management Plans. This work was initiated as task of ESG2 group TMS (Traffic Management Systems) and ESG5 DATEX II.
- The activity had been further developed in a coordinated way between: the TMS-SA03 “DATEX II and TMPs” [1] and the Activity 5.3 “Support to TMPs” from ESG5.
- From ESG5 WI5.3 a proposal to manage TMP with DATEX II had been presented to EGS2 Technical Group in 2011-2012;
  - The DATEX Italian team composed by several Motorway Operators and Road Operators ( ANAS ) had started reviewing it.
    - Some concerns had been elaborated by Italian Motorways operators, widening the principles of DATEX as Data Exchange for operational purposes and a global management of Information and Operation among Centres and specific operations for TMP management with DATEX II has been elaborated
- PON01\_01501 Landslide Early Warning a chance to implement a first pilot


# DATEX II Operational Approach



- Feedback** to be aware of Information:
  - Received
    - Intrisically available in DATEX II
  - Correct / Understood
  - Viewed / Managed
  - Implemented
    - Implemented by Feedback Extension



= Communication



- DATEX Client / Supplier
- Bilateral = Peer to Peer Communication
- Delivery of Information e Feedback

# TMP Extension

## □ TMP Activation


- Triggered by Scenario Condition Recognition

## □ Overall Measure / Measure

- Use of Measure based on definition and local usage

**Overall Measure / Measure**  
 «reduce traffic flow towards Amsterdam»  
 «M1 closed from J22 to J33, traffic via RN293»


**Actions**  
 Single Activities by each Operator




# DATEX II TMP workflow management



**Cohordinator  
Node manage  
Workflow**





**Recognise Scenario  
and issue the First  
Request**





# TMP Feedback Extension

- Status
  - Communication
  - TMP / Measure / Action




# Actors in modeling interaction




- Operator involved: human
  - ▣ See Information updates
  - ▣ Evaluate
  - ▣ Send Feedback
- TCC MMI
- DATEX nodes
  - ▣ Rx / Tx detail
    - not needed but explicit here
- Processing

# Sequence Diagram Detail



- TCC Recognise Scenario and as Coordinator
- Deliver TMP Activation Request
  - for specific Measure
- Send Feedback for TMP request processing for compliance

# Approval / Rejection Feedback





- In TMP Involved Nodes
  - ▣ Operator Manually Process Proposed TMP Request
  - ▣ Accept / reject the Request
  - ▣ Send Feedback on Approval / Rejection to Coordinator



# Error and Timeout Management



- In case the Measure is not implemented as one or more nodes are not able to implement their related measures/actions this condition is notified the Coordinator Node and there has to be managed as a new Scenario has arised or passing Control to a Higher Level node.





# Implementation Monitoring / Management



# Not Predefined TMP

- Situation Record Link
- VMS Setting
- Other Operation
- Feedback in Situation Publication





# Conclusions

- **DATEX II is suitable for TMP management**
  - Automatise real time TMP negotiation to fasten decision
  - Trace of operation management workflow and responsibilities
  - Monitoring Operations Evolution
    - Same Dictionary and Platform
      - Situation Publication .. Extended !
- Cons
  - Link Monitoring and Session Management
    - To be improved in next release of DATEX
    - Some hints to manage in DATEX II v2.x will be presented in the same session



Thank you for your attention

Fabrizio Paoletti

*Traffic Management Solutions - Engineering and Architecture*

[fabrizio.paoletti@autostrade.it](mailto:fabrizio.paoletti@autostrade.it)

**[autostrade//Tech](#)**

[www.autostradetech.it](http://www.autostradetech.it)